



**“Fast Dry,
High Tack,
Good Bonding”**

*- Best solutions for your
bonding problems*





VR-34

Product: Elastomer Based Sprayable Sponge Adhesive

Viscosity: 350±50 mPas(25°C)

Solid: % 39 ±1

Color: Lightly yellow

Drying Time: One side: 0-3 min. Two side: 0-6 min.

Open time: 5 Hours

Heat Resistance: 50-55 °C

Application: Spray Gun, with 45° angle, One side or two side

Nozzle size: 1,5 mm - 1,8 mm

Package (net): We produce 4 kgs, 15 kgs, 225 kgs, 1200 kgs packages

*All values validate at atmospheric conditions.

Usage Area



MATRESS

- Sponge to sponge
- Felt to sponge



SOFA

- Sponge to flat chipboard
- Sponge to fabric
- Sponge to sponge

Non Flammable